

# Classic filament LEDbulbs

## LED classic 25W ST64 E27GOLD SP D RFSRT4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data

General information	
Cap-Base	E27 [ E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	LEDTECH-LOV
Light technical	
Color Code	818 [ CCT of 1800K]
Luminous Flux (Nom)	250 lm
Color Designation	1800
Correlated Color Temperature (Nom)	1800 K
Luminous Efficacy (rated) (Nom)	62.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	4 W

Lamp Current (Nom)	24 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	35 °C
Controls and dimming	
Dimmable	Only with specific dimmers
Mechanical and housing	
Bulb Finish	Amber
Bulb Shape	ST64
Approval and application	
Energy Consumption kWh/1000 h	4 kWh


# Classic filament LEDbulbs

## Product data

Full product code	871951431545700
Order product name	LED classic 25W ST64 E27GOLD SP D RFSRT4
EAN/UPC - Product	8719514315457
Order code	929002982901
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	4
Material Nr. (12NC)	929002982901
Net Weight (Piece)	0.042 kg


## Dimensional drawing




LED classic 25W ST64 E27GOLD SP D RFSRT4

Product	D	C
LED classic 25W ST64 E27GOLD SP D RFSRT4	65 mm	143 mm


## Photometric data



LEDbulb SLR 4W ST64 E27 818 Amber-POC



LEDbulb SLR ST64 4W E27 818 Amber-LDD




General Uniform Lighting  
Page 11

LEDbulb SLR 4W ST64 E27 818 Amber-GUL

# Classic filament LEDbulbs

## Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

