



# Essential LEDtube

## CorePro LEDtube 600mm 8W830 G5 I APR

Essential LEDtube is an affordable LED tube that is suitable for replacing T8 fluorescent lamps. The product provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution.

### Product data

General information		Power factor (nom.)		0.92
Cap base	G5 [ G5]	Voltage (Nom)		100–240 V
EU RoHS compliant	Yes	<b>Temperature</b>		
Nominal lifetime (nom.)	30000 h	T-ambient (max.)		45 °C
<b>Light technical</b>		T-ambient (min.)		-20 °C
Colour Code	830 [ CCT of 3,000 K]	T storage (max.)		65 °C
Technical Beam Angle (Nom)	200 °	T storage (min.)		-40 °C
Lamp Luminous Flux 25°C EL (Nom)	1000 lm	T-Case maximum (nom.)		70 °C
Colour Designation	White (WH)	<b>Controls and dimming</b>		
Colour Temperature, horizontal (Nom)	3000 K	Dimmable		No
Lamp Luminous Efficacy EM (Nom)	125.00 lm/W	<b>Mechanical and housing</b>		
Colour consistency	<6	Product length		600 mm
Colour Rendering Index, horiz (Nom)	80	Bulb shape		Tube, double-ended
LLMF at end of nominal lifetime (nom.)	70 %	<b>Approval and application</b>		
<b>Operating and electrical</b>		Energy-saving product		Yes
Input frequency	50 to 60 Hz	Approval marks		CE marking RoHS compliance KEMA Keur certificate
Power (Rated) (Nom)	8 W	Energy consumption kWh/1,000 hours		8 kWh
Lamp current (max.)	89 mA			
Lamp current (min.)	39 mA			
Starting time (nom.)	0.5 s			
Warm-up time to 60% light (nom.)	0.5 s			


# Essential LEDtube

## Product data

Full product code	871869673196300
Order product name	CorePro LEDtube 600mm 8W830 G5 I APR
EAN/UPC – product	8718696731963
Order code	929001380608
SAP numerator – quantity per pack	1

Numerator – packs per outer box	20
SAP material	929001380608
Net Weight (Piece)	0.070 kg



## Dimensional drawing



CorePro LEDtube 600mm 8W830 G5 I APR


Product	D1	D2	A1	A2	A3
CorePro LEDtube 600mm 8W830 G5 I APR	15.8 mm	19 mm	549 mm	556.1 mm	563.2 mm

## Photometric data



ESSENTIAL LEDtube 8W G5 830 APR


ESSENTIAL LEDtube 8W G5 830 APR



ESSENTIAL LEDtube 8W G5 830 APR


# Essential LEDtube

## Lifetime




ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 8W G5 830-865 APR

## Essential LEDtube

